

Utförsäljning APEX Sänkningsseter

FABRIKAT	MODELL	TYP	ÅR	ART.NR	SÄNK	INFO
ACURA	Integra	DA9	90 / 93	270-1010	35 mm	
ACURA	Integra	DB&DC4	94 / -	270-1000	30 mm	
ALFA ROMEO	145	all	930	94 / 00	11-8000	35 mm
ALFA ROMEO	145	2.0 QV / 146-Ti	930	96 / 00	11-8020	35 mm
ALFA ROMEO	146	all	930	95 / 00	11-8010	30 mm
ALFA ROMEO	147	1.6	937	00 / -	11-7060	35 mm
ALFA ROMEO	147	2.0 and Diesel	937	00 / -	11-7070	35 mm
ALFA ROMEO	147	GTA	937	00 / -	11-7052	35 mm
ALFA ROMEO	155	1.8-2.0 TS	167	92 / 10.97	11-7000	40 mm
ALFA ROMEO	155	2,5 V6	167	92 / 10.97	11-7010	40 mm
ALFA ROMEO	156	4 cyl models, excl. 1.9JTD & 2.0 JTS	932	97 / -	11-7050	35 mm
ALFA ROMEO	156	5-6 cyl., 1.9JTD, 2.4JTD and GTA	932	97 / -	11-7051	35 mm
ALFA ROMEO	156	Sportswagon 4 cyl. excl. 1.9JTD	932	00 / -	11-7050/1	35 mm
ALFA ROMEO	156	Sportswagon 5-6 cyl. and 1.9, 2.4JTD	932	00 / -	11-7051/1	35 mm
ALFA ROMEO	159	1.9JTS, 2.2JTS, 1.9JTD-M	939	05 / -	11-7200	30 mm
ALFA ROMEO	159	2.4 JTD-M	939	05 / -	11-7210	30 mm
ALFA ROMEO	159	Sportswagon	939	06 / -	11-7230	30 mm
ALFA ROMEO	159	3.2 Q4 Sedan & Sportswagon	939	06 / -	11-7240	30 mm
ALFA ROMEO	164	3.0 V6, QV, excl. 4WD		88 / 98	11-5000	40 mm
ALFA ROMEO	164	Twin Spark		88 / 98	11-5010	40 mm
ALFA ROMEO	166	all, excl. 2.0 TS	936	98 / -	11-11100	30 mm
ALFA ROMEO	166	2.0 TS	936	98 / -	11-11000	30 mm
ALFA ROMEO	33	excl. 16V	905	87 / 02.90	11-3000	30 mm
ALFA ROMEO	33	16V (cyl. fr. spring	907	01.93 / 94	11-3010/1	30 mm
ALFA ROMEO	75	Alfetta GTV, (ex. GTV6), Alfetta, Giulietta	116	85 / 91	11-1000	30 mm
ALFA ROMEO	Brera	2.2 JTS	939	06 / -	11-7210	30 mm
ALFA ROMEO	Brera	3.2 Q4	939	06 / -	11-7240	30 mm
ALFA ROMEO	Giulia	Bertone, GTV/Spider/Junior		64 / 90	11-6000	40 mm
ALFA ROMEO	GT	1.9JTD & 2.0 JTS		03 / -	11-7080	25mm
ALFA ROMEO	GT	3.2 V6		03 / -	11-7085	30mm
ALFA ROMEO	Spider		115	03.90 / 04.94	11-6010	40 mm
ALFA ROMEO	Spider	GTV 4 cyl. models	916	95 / -	11-9010	30 mm
ALFA ROMEO	Spider	GTV V6 models	916	95 / -	11-9000	35 mm
AUDI	80		82	72 / 78	10-6000	40 mm
AUDI	80	90 / Coupe	81	78 / 86	10-2000	40 mm
AUDI	80	90 / Coupe cyl	81	78 / 86	10-2000cyl	40 mm
AUDI	80	90 excl. 2.3 5-cyl	89	86 / 91	10-1000	35 mm
AUDI	80	4-cyl, excl. cabrio and Quattro	B4	91 / 94	10-5000/1	40 mm
AUDI	80	5-6 cyl, excl. cabrio and Quattro	B4	91 / 94	10-5000/2	40 mm
AUDI	A2	all excl. 1.2 TDi Eco & 1.4 TDi	8Z	00 / -	10-1500	25 mm
AUDI	A2	1.4 TDi & 1.6i	8Z	00 / -	10-1510	25 mm
AUDI	A3	1.6	8L	96 / 05.03	10-8000	45 mm
AUDI	A3	1.8 and TDi	8L	96 / 05.03	10-8010	35 mm
AUDI	A3	Quattro	8L	99 / -	10-8040	30 mm
AUDI	A3	1.6 all & 2.0 FSi	8P	03 / -	10-8200	30 mm
AUDI	A3	2.0 FSi DSG, 1.9 & 2.0 TDi	8P	03 / -	10-8210	30 mm
AUDI	A4	Saloon 4-cyl. all, excl. Quattro	B5	94 / 00	10-7000	40 mm

front top bearing has 4 bolts

conical spring
cylindrical spring

7)

7)

7)

2wd only

2wd only

less lowering on Turbo models

Utförsäljning APEx Sänkningssatser

FABRIKAT	MODELL	TYP	ÅR	ART.NR	SÄNK	INFO	
AUDI	A4	Saloon 6-cyl. all, excl. Quattro	B5	94 / 00	10-7010	40 mm	less lowering on Turbo models
AUDI	A4	Saloon 6 cyl. all, excl. Quattro	B5	94 / 00	10-7010	40 mm	less lowering on Turbo models
AUDI	A4	Avant 4 cyl. benz. models excl. Quattro	B5	96 / 00	10-7050	40 mm	less lowering on Turbo models
AUDI	A4	Avant 5 & 6 cyl. & TDi mod. excl. Quat	B5	96 / 00	10-7050/1	40 mm	less lowering on Turbo models
AUDI	A4	Quattro Saloon all 6 cyl. models incl. S4	B5	96 / 00	10-7030/3	40 mm	less lowering on Turbo models
AUDI	A4	Quattro Saloon all 4 cyl. models	B5	96 / 00	10-7030	40 mm	less lowering on Turbo models
AUDI	A4	Quattro Avant all 4 cyl. models	B5	97 / 00	10-7030/2	40 mm	less lowering on Turbo models
AUDI	A4	Quattro Avant all 6 cyl. models incl. S4	B5	97 / 00	10-7030/4	40 mm	less lowering on Turbo models
AUDI	A4	Saloon 2WD 1.6, 2.0	8E	01 / -	10-7200	40 mm	
AUDI	A4	Saloon 2WD 1.8T, 3.0, all TDi	8E	01 / -	10-7210	40 mm	
AUDI	A4	Avant 2WD 1.6, 2.0	8E	01 / -	10-7240	40 mm	
AUDI	A4	Avant 2WD 1.8T, 3.0, all TDi	8E	01 / -	10-7250	40 mm	
AUDI	A4	Quattro Saloon and Avant all	8E	01 / -	10-7230	40 mm	
AUDI	A6	all 4 & 5-cyl., excl. Quattro and Avant	C4	91 / 06.97	10-4000/1	40 mm	
AUDI	A6	V6, excl. Quattro and Avant	C4	91 / 06.97	10-4000/2	40 mm	
AUDI	A6	4 & 5-cyl. Avant all, excl. Quattro	C4	91 / 97	10-4050/1	40 mm	
AUDI	A6	V6 Avant all, excl. Quattro	C4	91 / 97	10-4050/2	40 mm	
AUDI	A6	Saloon, all 4-cyl. models	4B	07.97 / 05.04	10-9000	35 mm	2)
AUDI	A6	Saloon, all 6-cyl. models excl. TDi	4B	07.97 / 05.04	10-9010	35 mm	2)
AUDI	A6	Saloon, all V6 TDi models	4B	07.97 / 05.04	10-9010/1	35 mm	2)
AUDI	A6	Avant, all 4 cyl. models	4B	98 / 05.04	10-9020	35 mm	2)
AUDI	A6	Avant, all 6 cyl. models excl. TDi	4B	98 / 05.04	10-9030	35 mm	2)
AUDI	A6	Avant, all V6 TDi models	4B	98 / 05.04	10-9030/1	35 mm	2)
AUDI	A6	Quattro, all 4 cyl. models	4B	97 / 05.04	10-9040	35 mm	2)
AUDI	A6	Quattro, all 6 cyl. models excl. TDi	4B	97 / 05.04	10-9050	35 mm	2)
AUDI	A6	Quattro, all V6 TDi models	4B	97 / 05.04	10-9050/1	35 mm	2)
AUDI	A8	2.8, 2.5 TDI, incl. Quattro	D2	06.94 / 10.02	10-12000	25 mm	
AUDI	A8	3.7, 4.2 incl. Quattro	D2	06.94 / 10.02	10-12010	25 mm	
AUDI	TT	Coupe & Roadster excl. Quattro	8N	99 / -	10-3000	40 mm	
AUDI	TT	Coupe & Roadster Quattro	8N	99 / -	10-3010	40 mm	
BMW	E21	315, 316, 318, 320, 320i, 323i	3	75 / 82	20-1000	40 mm	
BMW	E24	628-635	6CS/1	82 / 86	20-1010	30 mm	
BMW	E28	4-6 cyl	5/1	81 / 88	20-2010	30 mm	
BMW	E30	315, 316, 318i	3/1	82 / 90	20-1020	30 mm	
BMW	E30	320i, 323i, 325e, 325i, excl. D	3/1	82 / 90	20-1030	30 mm	
BMW	E30	excl. Touring	3/1,3/R	82 / 90	20-1035	60 mm	1)
BMW	E30	Touring, excl. D	3/1	82 / 94	20-1040	30 mm	
BMW	E34	M5 Incl. Touring (front springs only	M5/H	88 / 97	20-2100	25 mm	
BMW	E34	all, excl. Touring and M5	5/H	88 / 95	20-2000	30 mm	
BMW	E36	Compact	3/CG	04.94 / -	20-5000	35 mm	
BMW	E36	M3 3.0 litre	M3B	93 / -	20-1070	30 mm	
BMW	E36	3.2 litre	M3	04.96 / 00	20-1070/1	30 mm	
BMW	E36	4-cyl. models, all incl. Coupe, Cabrio	3B,C & 3/B/C	91 / 98	20-1050	40 mm	
BMW	E36	6-cyl. models, all incl. Coupe, Cabrio	3B,C & 3/B/C	10.91 / 05.92	20-1060/1	40 mm	
BMW	E36	6-cyl. models, all incl. Coupe, Cabrio	E36	06.92 / 04.98	20-1060/2	40 mm	
BMW	E36	Touring 4-cyl. models, excl. TDS	3/C	95 / -	20-1090	35 mm	
BMW	E36	Touring 6-cyl. models and TDS	3/C	95 / -	20-1090/1	35 mm	

Utförsäljning APEX Sänkningssatser

FABRIKAT	MODELL	TYP	ÅR	ART.NR	SÄNK	INFO
BMW	E38	730i	7/G	06.94 / 01	20-3000	40 mm
BMW	E38	740i	7/G	06.94 / 01	20-3010	40 mm
BMW	E39	excl. Touring	5/D	95 / 02	20-2050	30 mm
BMW	E39	540i V8, excl. Touring	5/D	97 / 02	20-2051	45 mm
BMW	E46	318,320,323,328,320D,excl. iX & cabrio	346L,C,R,K	98 / 05	20-1200	35 mm
BMW	E46	318,320,323,328,320D,excl. iX & cabrio	346L,C,R	98 / 05	20-1210	55/30 mm
BMW	E46	Compact	346K	01 / 05	20-1200	35 mm
BMW	E46	Touring all & cabrio	E46	6.99 / 05	20-1250	35 mm
BMW	E46	M3	346	00 / 05	20-1270	25 mm
BMW	E60	520i,525i & 530i excl. Touring & Diesel	560L	06.03 / -	20-2200	30mm
BMW	E65	735i, 745i & 730D	765	11.01 / -	20-3200	25mm
BMW	E87	116i, 118i, 120i	187	09.04 / -	20-1420	35mm
BMW	E87	130i, 118d, 120d	187	09.04 / -	20-1400	35mm
BMW	E90	Sedan 318i, 320(s)i	390L	03.05 / -	20-1420	35 mm
BMW	E90	Sedan 325i, 330i, 318d, 320d	390L	03.05 / -	20-1400	35 mm
BMW	Z3	4-cyl.Roadster, Coupé, ex. M-techn	R/C	04.96 / -	20-6000	35 mm
BMW	Z3	6-cyl.Roadster, Coupé, ex. M-techn	R/C	04.96 / -	20-6010	35 mm
BMW	Z3	M-Roadster 236 kW	MR/C	97 / -	20-6050	35 mm
CHEVROLET	Aveo	hatchb. & sedan		02 / -	290-5000	30 mm
CHEVROLET	Camaro	V8 low		93 / -	300-1010	60 mm
CHEVROLET	Cavalier	V6), Beretta, Corsica		87 / 94	300-2000	30 mm
CHEVROLET	Cavalier	4-6 cyl		95 / -	300-2010	30 mm
CHEVROLET	Cobalt			05 / -	300-3000	30 mm
CHEVROLET	Nubira			03 / -	290-6000	35 mm
CHEVROLET	Optra			03 / -	290-6000	35 mm
CHEVROLET	Spark			98 / 05	290-4000	30 mm
CHEVROLET	Zafira	A all excl. 2.2i auto, 2.0DTi	T98 monocab	01.99 / 05	60-11700	30 mm
CHEVROLET EUROPE	Kalos	hatchb. & sedan		02 / -	290-5000	30 mm
CHEVROLET EUROPE	Lacetti			03 / -	290-6000	35 mm
CHEVROLET EUROPE	Matiz			98 / 05	290-4000	30 mm
CHEVROLET EUROPE	Nubira			03 / -	290-6000	35 mm
CHRYSLER	Neon	2-4 dr		95 / 98	340-1000	35 mm
CHRYSLER	Neon		PL	01.99 / -	340-2000	35 mm
CHRYSLER	PT	Cruiser		00 / -	340-3000	35 mm
CITROËN	AX		ZA	12.86 / 12.98	160-1000	35 mm
CITROËN	AX	GT - GTi	ZA	91 / 98	160-1010	35 mm
CITROËN	C1		P	05 / -	70-4200	35 mm
CITROËN	C2	1.1	J	03/ -	160-4020	35 mm
CITROËN	C2	1.4 all	J	03/ -	160-4010	35 mm
CITROËN	C2	1.6 Sensodrive	J	03/ -	160-4000	15mm
CITROËN	C3	1.1, 1.4, 1.4HDi-8V	F	02/ -	160-4010	35 mm
CITROËN	C3	1.6 all, 1.4 Auto, 1.4HDi-16V	F	02 / -	160-4000	35 mm
CITROËN	C3	Pluriel 1.4	H	03/ -	160-4080	35 mm
CITROËN	C3	Pluriel 1.6 Sensodrive	H	03/ -	160-4090	35 mm
CITROËN	C4	1.4 - 2.0 16V, 1.6 HDi Lim & Coupé	L	11.04/-	160-5000	35mm
CITROËN	C4	2.0 HDi Lim & Coupé	L	11.04/-	160-5010	35mm
CITROËN	Picasso		C	00 / -	160-3000	35 mm

excl. self-levelling rear axle

1)

excl. SS versions

less lowering on VTR

Utförsäljning APEX Sänkningssatser

FABRIKAT	MODELL	TYP	ÅR	ART.NR	SÄNK	INFO	
CITROËN	Saxo	incl. VTS	S	05.96 / 10.03	70-4000	35 mm	14)
CITROËN	Xsara	incl. Coupe and VTS	N6	97 / -	160-3000	35 mm	less lowering on VTS
CITROËN	ZX		N2	09.91 / 06.97	160-2000	35 mm	
CITROËN	ZX	1.9, 2.0, 16V Volcane	N2	09.91 / 06.97	160-2010	35 mm	
DAEWOO	Espero			95 / -	290-1000	35 mm	
DAEWOO	Kalos			02 / -	290-5000	30 mm	
DAEWOO	Lacetti			03 / -	290-6000	35 mm	
DAEWOO	Matiz			98 / 05	290-4000	30 mm	
DAEWOO	Nubira			03 / -	290-6000	35 mm	
DAEWOO	Nubira	stationwagon		03 / -	290-6030	35 mm	
DAIHATSU	Charade		G100	89 / 93	190-1000	40 mm	
DAIHATSU	Charade	up to ch. nr. 540090	G200/G203	94 / 8.96	190-2000	35 mm	
DAIHATSU	Cuore				190-3000	35 mm	
FIAT	Barchetta		183	95 / -	30-8000	35 mm	
FIAT	Bravo	Brava 1.2 -1.6	182	95 / -	30-9000	35 mm	
FIAT	Bravo	Brava 1.8 - 2.0 and Diesel	182	95 / -	30-9010	30 mm	
FIAT	Cinquecento		170	10.92 / 03.98	30-5000	40 mm	
FIAT	Cinquecento	Sporting	170	10.92 / 03.98	30-5010	30 mm	
FIAT	Coupe	2.0-16V Turbo	175	94 / 00	30-7000	35 mm	
FIAT	Coupe	1.8-16V, 2.0-16V, 2.0-20V Turbo	175	94 / 00	30-7010	30 mm	
FIAT	Croma		164	86 / -	30-2000	35 mm	
FIAT	Croma	1.8, 2.2	194	05 / -	30-2200	35 mm	
FIAT	Croma	1.9 JTD	194	05 / -	30-2210	35 mm	
FIAT	Croma	2.4 JTD	194	05 / -	30-2220	35 mm	
FIAT	Panda		169	03 / -	30-12200	30 mm	
FIAT	Punto		176	93 / 9.99	30-6000	35 mm	
FIAT	Punto	GT	176	93 / 9.99	30-6010	35 mm	
FIAT	Punto	1.2 (8 & 16V	188	10.99 / 03	30-6020	35 mm	less lowering on 8V models
FIAT	Punto	1.8 HGT & JTD	188	10.99 / 03	30-6030	35 mm	
FIAT	Punto	1.8 HGT & JTD	188	10.99 / 03	30-6040	60/40 mm	
FIAT	Punto	1.2, 1.4 & 1.3 Multi-jet	188	03 / 05	30-6020/1	35 mm	less lowering on 8V models
FIAT	Punto	1.8, 1.9 Multi-jet & JTD	188	03 / 05	30-6030/1	35 mm	
FIAT	Punto	Grande Punto) 1.2 & 1.4	199	05 / -	30-6200	35 mm	
FIAT	Punto	Grande Punto) diesel 1.3	199	05 / -	30-6210	35 mm	
FIAT	Punto	Grande Punto) diesel 1.9	199	05 / -	30-6220	35 mm	
FIAT	Seicento		187	03.98 / -	30-5000	30 mm	
FIAT	Seicento	Sporting	187	03.98 / -	30-5010	30 mm	
FIAT	Stilo	1.2 16V	192	01 / -	30-3520	30 mm	
FIAT	Stilo	1.6 all, excl. Dynamic 5-door	192	01 / -	30-3500	30 mm	
FIAT	Stilo	1.8, 1.6 Dynamic 5-door	192	01 / -	30-3510	30 mm	
FIAT	Stilo	1.9 JTD & Abarth	192	02 / -	30-3550	30 mm	
FIAT	Stilo	SW 1.6	192	02 / -	30-3530	30 mm	
FIAT	Stilo	SW 1.8	192	02 / -	30-3540	30 mm	
FIAT	Stilo	SW 1.9 JTD	192	02 / -	30-3560	30 mm	
FIAT	Tempra		159	90 / -	30-4000	35 mm	
FIAT	Tipo		160	88 / -	30-3000	35 mm	
FIAT	Tipo	2.0 16V	160	89 / -	30-3010	35 mm	

Utförsäljning APEX Sänkningssatser

FABRIKAT	MODELL	TYP	ÅR	ART.NR	SÄNK	INFO
FIAT	Uno	45 (Fire motor)	146	83 / -	30-1000/45	35 mm
FIAT	Uno	Turbo	146	83 / -	30-1000	35 mm
FIAT	Uno	Turbo	146	83 / -	30-1010	60 mm 1)
FORD	Cougar	4-cyl		98 / 8.00	40-9000	35 mm
FORD	Cougar	6-cyl		98 / 8.00	40-9010	35 mm
FORD	Escort	III / IV	A/G	09.80 / 90	40-1000S	30 mm less lowering on XR3i
FORD	Escort	III / IV	G/A	09.80 / 90	40-1070	60 mm less lowering on XR3i
FORD	Escort	IV Cosworth	ABLC	86 / 90	40-5000	25 mm
FORD	Escort	IV1.6 RS Turbo		86 / 90	40-1011	30 mm
FORD	Escort	V Hatchback excl. RS2000	GAL,ALL	90 / 01.95	40-1010	30 mm
FORD	Escort	V Cabrio	ALL	90 / 01.95	40-1020	30 mm
FORD	Escort	V RS 2000	GAL	92 / 95	40-1030	30 mm
FORD	Escort	Combi excl. Diesel	GAL,ANL	02.95 / 02.99	40-1016	35 mm ABE:F 508,/1
FORD	Escort	VI incl. Cabrio see note	G/A	02.95 / 02.99	40-1040	40 mm types GAL, ALL,AAL, ABL,AFL
FORD	Escort	VI RS2000 2wd	G/A	02.95 / 02.99	40-1040	15 mm
FORD	Fiësta	all, excl.16V (Mk 3	GFJ	03.89 / 01.94	40-4000	35 mm less lowering on XR2
FORD	Fiësta	excl. Diesel (Mk 4 / 5	JAS	02.94 / 09.99	40-4010	30 mm cylindrical rear spring
FORD	Fiësta	excl. Diesel (Mk 4 / 5	JAS	02.94 / 09.99	40-4012	60 mm cylindrical rear spring
FORD	Fiësta	Mk 6) all, excl. Diesel	JBS	01.00 / 11.01	40-4010/1	30 mm
FORD	Fiësta	Mk 6) all, excl. Diesel	JBS	01.00 / 11.01	40-4012/1	60 mm
FORD	Fiesta	C all, excl. TDCi & Fusion (Mk 7	JH	04.02 / -	40-4200	35 mm
FORD	Fiesta	C TDCi (Mk 7	JD	04.02 / -	40-4210	35 mm
FORD	Focus	Hatchback and Sedan 1.4-1.8	DAW/DBW/DFW	98 / 10.04	40-8000	30 mm
FORD	Focus	Sed. & Hb. 2.0 & TD excl. RS & ST 170	DAW/DBW/DFW	98 / 10.04	40-8010	30 mm
FORD	Focus	ST 170	DB1/DA1	02 / -	40-8040	35 mm
FORD	Focus	Wagon 1.4 - 1.8	DNW	98 / 12.04	40-8020	30 mm
FORD	Focus	Wagon 2.0 and TD	DNW	98 / 12.04	40-8030	30 mm
FORD	Focus	Hatchb. and Sedan 1.4, 1.6	DA3	05 / -	40-8200	35 mm
FORD	Focus	Hatchb. and Sedan 1.8, 2.0, Tdci all	DA3	05 / -	40-8210	35 mm
FORD	Fusion		JU2	09.02 / -	40-4230	30 mm shorten fr. bumpstops by 20 mm
FORD	Galaxy		WGR	97 / -	80-8000	25 mm
FORD	Ka		RBT	01.00 / -	40-2000/1	35 mm
FORD	Ka		RBT	96 / 12.99	40-2000	35 mm cylindrical rear spring
FORD	Mondeo	Sedan / Hatchback 1,6-2,0	GBP	93 / 10.96	40-7000	40 mm
FORD	Mondeo	Stationwagon		93 / 10.96	40-7010	40 mm
FORD	Mondeo	Sedan / Hatchback 4-cyl	BFP, BAP	10.96 / 01	40-7011	30 mm
FORD	Mondeo	Sedan / Hatchback 6-cyl. and D	BFP, BAP	10.96 / 01	40-7012	30 mm
FORD	Mondeo	Stationwagon 4-cyl	BNP	10.96 / 01	40-7020	30 mm
FORD	Mondeo	Stationwagon, V6 and D	BNP	10.96 / 01	40-7021	30 mm
FORD	Mondeo	Sedan / Hatchback 4-cyl	B4Y,B5Y	01 / -	40-7200	30 mm
FORD	Mondeo	Wagon 4-cyl	B4Y,B5Y	01 / -	40-7220	30 mm 2)
FORD	Mondeo	Sedan / Hatchback V6 and D	B4Y,B5Y	01 / -	40-7210	30 mm
FORD	Mondeo	Wagon V6 and D	B4Y,B5Y	01 / -	40-7230	30 mm 2)
FORD	Orion		GAL,ALL	90 / 01.95	40-1010	30 mm
FORD	Probe	GT V6 24V		93 / -	40-6010	30 mm
FORD	Puma		ETC	97 / -	40-2010	35 mm
FORD	Sierra		GBC-GBG	84 / -	40-3000	35 mm less lowering on XR4i

Utförsäljning APEX Sänkningssatser

FABRIKAT	MODELL	TYP	ÅR	ART.NR	SÄNK	INFO	
FORD	Sierra	cylindr	GBC-GBG	84 / -	40-3000cyl	35 mm	cylindrical spring
FORD	Sierra	Cosworth	GBC	86 / -	40-3000/1	25 mm	
FORD USA	Mustang	Coupe, 8 cyl	S197	< 05	41-2000	30 mm	
FORD USA	Mustang	Coupe, 6 cyl	S197	< 05	41-2010	30 mm	
FORD USA	Mustang	V8, excl. Cabrio, IRS and Cobra		79 / 93	41-1000	30 mm	
HONDA	Accord	Type R	CH1	98 / 03	180-2025	30 mm	
HONDA	Accord	low	CA4, CA5	86 / 89	180-2040	60 mm	1)
HONDA	Accord		CB3-7, CC1-7	89 / 98	180-2010	40 mm	
HONDA	Accord		CD	94 / 02	180-2020	30 mm	
HONDA	Accord	US-Asia type		97 / 02	180-2050US	35 mm	
HONDA	Accord	sedan, 4 cyl. models	CL7, CL 9	20.03 / -	180-2200	35-40 mm	
HONDA	Accord	sedan, V6-3.0 models		02 / -	180-2210	35-40 mm	
HONDA	City			00 / -	180-6000	35 mm	
HONDA	Civic	incl. CRX, excl. VTEC models	EC8-9, ED2-9	11.87 / 10.91	180-1000	40 mm	
HONDA	Civic	CRX -VTEC	EE8, EE9	08.90 / 10.91	180-1010	40 mm	
HONDA	Civic	all incl. Coupe	EG, EH, EJ,MB,MC	10.91 / 10.95	180-3000	40 mm	EG 2-9,EH6&9, EJ1&2 MA8&9, MB1-
HONDA	Civic	all incl. Coupe , reinforced	EG, EH, EJ	10.91 / 10.95	180-3000RF	35 mm	
HONDA	Civic	3-drs and Coupe, incl. VTi	EJ, EK	10.95 /10.99	180-3030	40 mm	
HONDA	Civic	3-drs and Coupe, incl. VTi, reinforced	EJ, EK	10.95 /10.99	180-3030RF	35 mm	
HONDA	Civic	5-drs (UK build	M-series	10.95 / 03.01	180-3031	40 mm	
HONDA	Civic	3-drs and Coupe, incl. VTi, reinforced	EJ, EK	10.99 / 03.01	180-3030RF	35 mm	
HONDA	Civic	all, excl. Type-R, Stream & TD	ES4-8,EU7-8,EP1-2	03.01 / 06	180-4000	35 mm	
HONDA	Civic	Type-R	EP3	10.01 / 06	180-4010	30 mm	
HONDA	Civic	1.4 - 2.0 Hatchback	FD1, FK1/2/3	06 / -	180-4200	30mm	
HONDA	Civic	2.2 i-CTDi Hatchback	FD1, FK1/2/3	06 / -	180-4210	30mm	
HONDA	Civic	1.8 - 2.0 Sedan	FD1	06 / -	180-4250	30mm	
HONDA	CRV	II 4WD	RD5	08.02 / -	180-7000	30 mm	
HONDA	Integra	R 1.8-16V	DC/EP3	03.98 / -	180-3030/1	30 mm	
HONDA	Jazz	1.4 all	GD 1	03 / -	180-8000	35 mm	
HONDA	Prelude	incl.AWS	BA4	10.87 / 03.92	180-5010	30 mm	
HONDA	Prelude		BB1-3	04.92 / 01.97	180-5000	35 mm	
HONDA	Prelude		BB6-9	02.97 / -	180-5000	35 mm	
HONDA	S2000		AP1	06.99 / -	180-6500	30 mm	
HYUNDAI	Accent	Excel	X3	94 / 97	210-4000	35 mm	
HYUNDAI	Accent	Excel	X3	97 / 00	210-4010	35 mm	
HYUNDAI	Accent	1.5i	LC	00 / -	210-4020	35 mm	
HYUNDAI	Atos			04.98 / -	210-5000	30 mm	
HYUNDAI	Coupe	1.6, 1.8 & 2.0 (all 16V	RD	09.96 / 10.01	210-3000	35 mm	
HYUNDAI	Coupe	2.0 16V & 2.7 V6	GK	11.01 / -	210-3010	35 mm	
HYUNDAI	Elantra		XD	00 / -	210-2200	35 mm	
HYUNDAI	Getz		TB	02 / -	210-6000	30 mm	
HYUNDAI	Lantra	2	J-2	95 / -	210-2010	35 mm	
HYUNDAI	Matrix		FC	09.01 / -	210-2250	30 mm	
HYUNDAI	S	Coupé	SLC	90 / -	210-1000	35 mm	
KIA	Picanto		BA	11.'03	210-6000	30 mm	
KIA	Rio			08.'00 / -	310-3000	35 mm	
KIA	Sephia	II	FA	94 / -	310-1000	35 mm	

Utförsäljning APEX Sänkningssatser

FABRIKAT	MODELL	TYP	ÅR	ART.NR	SÄNK	INFO	
KIA	Shuma		97 / -	310-1000	35 mm		
LADA	Samara	all	2108	86 / -	220-1000	40 mm	
LANCIA	Delta		831	12.86 / 12.92	90-2000	35 mm	
LANCIA	Delta	all FWD excl. HF Turbo	836	09.93 / 08.99	90-2010	40 mm	
LANCIA	Thema		834	11.84 / 07.94	30-2000	35 mm	
LANCIA	Ypsilon		840A	01.96 / 09.03	90-3010	30 mm	
LANCIA	Ypsilon		843	09.03 / -	90-3200	35 mm	
LEXUS	IS	200		04.99 / -	175-3000	35 mm	
LINCOLN	LS	V6		99 / -	42-1000	30 mm	
MAZDA	121		DA	88 / 91	100-6000	30 mm	
MAZDA	121		DB	91 / 96	100-6010	35 mm	
MAZDA	2		DY	03 /	100-9200	35 mm	
MAZDA	3	1.6, 1.6 Auto & 2.0	BK	10.03 / -	100-2200	30 mm	
MAZDA	3	1.6 CiTD	BK	10.03 / -	100-2210	30 mm	
MAZDA	323	Familia, Astina	BG	90 / 94	100-2000	35 mm	
MAZDA	323	F, Lantis	F	90 / 94	100-2000F	35 mm	
MAZDA	323	Familia, Astina	BA	94 / 98	100-2010F	40 mm	
MAZDA	323		BJ	98 / -	100-2020	40 mm	
MAZDA	323	F, Sportbreak	BJ	98 / -	100-2030	40 mm	
MAZDA	6	Sedan all	GG	02 / -	100-1200	35 mm	
MAZDA	6	Estate all	GY	02 / -	100-1230	35 mm	
MAZDA	626		GE	92 / 97	100-1020	35 mm	
MAZDA	626	4-cyl (excl.Station	GF	97 / 02	100-1020	35 mm	
MAZDA	MX3		EC	91 / -	100-3000	30 mm	
MAZDA	MX5		NA	90 / 98	100-4000	30 mm	
MAZDA	MX5		NB	04.98 / 05	100-4010	30 mm	
MAZDA	MX5		NC1	09.05 / -	100-4020	40 mm	
MAZDA	RX7	Turbo, GTU	FC	86 / 92	100-8000	30 mm	
MAZDA	RX8		SE	03 / -	100-8200	30 mm	
MAZDA	Xedos	6	CA	92 / -	100-5000	30 mm	
MERCEDES	190	190E,190D, 190D- 2.5, 190E-2.3	W 201	83 / 92	50-1000	30 mm	4)
MERCEDES	190E	2.5-16V	W 201	89 / 93	50-1000/1	25 mm	4)
MERCEDES	200	300, C, CE, D-Turbo	W 123	76 / 85	50-4000	35 mm	4)
MERCEDES	200	200 D, 230 E	W 124	85 / 96	50-2000	30 mm	4)
MERCEDES	250D	260 E, 300D, 300E	W 124	85 / 96	50-2010	30 mm	4)
MERCEDES	280	300 320 & 500 SL	W 129	98 / 02	50-7000	30 mm	
MERCEDES	380	420, 500, 560, 300TD & 350TD	W 126	80 / 91	50-3010 8cyl	30 mm	4)
MERCEDES	6	8 cyl	W126/126C	79 / 91	50-3000	35 mm	4)
MERCEDES	C-Class	4-cyl. all	W 202	93 / 95	50-6000	30 mm	
MERCEDES	C-Class	5-6 cyl	W 202	93 / 95	50-6010	30 mm	
MERCEDES	C-Class	4-cyl. all, excl. T-model	W 202	96 / 00	50-6000/1	30 mm	
MERCEDES	C-Class	5-6 cyl. excl. T-model	W 202	96 / 00	50-6010/1	30 mm	
MERCEDES	C-Class	all excl. Kombi	W 203	00 / -	50-6030	40 mm	
MERCEDES	CLK	coupe 4-cyl	C 208	96 / 04.02	50-6000/1	30 mm	
MERCEDES	CLK	coupe 5-6 cyl	C 208	96 / 04.02	50-6010/1	30 mm	
MERCEDES	CLK	cabriolet 4 cyl	C 208	96 / 04.02	50-6020	30 mm	
MERCEDES	CLK	cabriolet 5-6 cyl	C 208	96 / 04.02	50-6025	30 mm	

Utförsäljning APEX Sänkningssatser

FABRIKAT	MODELL	TYP	ÅR	ART.NR	SÄNK	INFO
MERCEDES	CLK	200, 240 & 320	C 209	04.02 / -	50-6030	35 mm
MERCEDES	E-Class	4-5 cyl all, incl. T(D)	W 210	95 / 02	50-8000	35 mm
MERCEDES	E-Class	6-8cyl all, incl. T(D)	W 210	95 / 02	50-8010	35 mm
MERCEDES	S-Class	V8 models excl. cars with ADC	W 140, 140 C	91 / 12.94	50-5000 8cyl	30 mm 2)
MERCEDES	S-Class	V6 models excl. cars with ADC	W 140, 140C	91 / 12.94	50-5000 6cyl	30 mm 2)
MERCEDES	SLK		R 170	96 / -	50-11000	35 mm
MG	MG	TF	RD	05.03 / -	200-4000	30 mm only for cars with steel springs
MINI	Mini	One		01 / 03.02	25-1000	30 mm
MINI	Mini	Cooper		01 / 03.02	25-1000/1	30 mm
MINI	Mini	One		04.02 / -	25-2000	30 mm
MINI	Mini	Cooper & Cooper "S		04.02 / -	25-2000/1	30 mm
MITSUBISHI	Carisma	1.8 models	DA0	95 / 06.99	260-4000	35 mm
MITSUBISHI	Carisma	model 2000 on	DA0	07.99 / -	260-4010	35 mm
MITSUBISHI	Colt	all, excl. GTi	CA0	92 / 05.96	260-2000	40 mm
MITSUBISHI	Colt	1.8 GTi	CA5A	92 / 05.96	260-2010	40 mm
MITSUBISHI	Colt	V / Lancer	CJ0	05.96 / -	260-2050	40 mm
MITSUBISHI	Eclipse	2WD, incl. Turbo, Talon	D30	11.95 / -	260-3030	35 mm
MITSUBISHI	Eclipse		D20	91 / 11.95	260-3000	35 mm
MITSUBISHI	Eclipse	4WD GSX, incl. Turbo	D22A	91 / 11.95	260-3020	30 mm
MITSUBISHI	FTO	1.8-2.0		91 / 98	260-7050	45 mm
MITSUBISHI	Galant	Ultima	E50	93 / 96	260-1000	40 mm
MITSUBISHI	Galant	V6 excl. Combi	EA0	99 / -	260-1010	40 mm
MITSUBISHI	Lancer	EVO IV , V & VI	CN9A, CP9A	8.96 / 00	260-2060	35 mm
MITSUBISHI	Lancer	EVO VII & VIII	CT9A	01 / -	260-2080	40 mm
MITSUBISHI	Lancer	Sedan	CS0	04 / -	260-2220	35 mm
MITSUBISHI	Lancer	Stationwagon	CS0	04 / -	260-2230	35 mm
MITSUBISHI	Lancer	Cedia	CS3	02 / -	260-2200	30 mm
NISSAN	100NX		B13	91 / -	110-5000	30 mm
NISSAN	200	SX	S13	89 / 94	110-3000	30 mm
NISSAN	200	SX	S14	94 / -	110-7000	30 mm
NISSAN	350	Z	Z33	09.03 / -	110-7200	30 mm
NISSAN	Almera	excl. 1,4	N15	95 / 10.97	110-8000	35 mm
NISSAN	Almera	1.4	N15	95 / 10.97	110-8010	35 mm
NISSAN	Almera		N15	10.97 / 02.00	110-8030	35 mm Rear spring inner dia. 79mm!
NISSAN	Almera		N15	10.97 / 02.00	110-8030/1	35 mm Rear spring inner dia. 69mm!
NISSAN	Almera	all, excl. TD	N16	02.00 / -	110-8020	35 mm Rear spring inner dia. 79mm!
NISSAN	Almera	TD	N16	02.00 / -	110-8022	35 mm Rear spring inner dia. 79mm!
NISSAN	Almera	all, excl. TD	N16	02.00 / -	110-8020/1	35 mm Rear spring inner dia. 69mm!
NISSAN	Almera	TD	N16	02.00 / -	110-8022/1	35 mm Rear spring inner dia. 69mm!
NISSAN	Cefiro		A31		110-4000	35 mm
NISSAN	Maxima		A32	95 / 01.99	110-4010	30 mm
NISSAN	Micra		K11	92 / 03	110-6010	30 mm
NISSAN	Micra	all, excl. 1.0	K12	03 / -	110-6200	30 mm
NISSAN	Micra	1.0	K12	03 / -	110-6220	30 mm
NISSAN	Primera	2.0	P10	90 / 96	110-2000	30 mm
NISSAN	Primera	all, excl. Diesel	P11	96 / 02	110-2050	35 mm
NISSAN	Primera	Sedan 1.6, 1.8 & 2.0	P12	02 / -	110-2200	35 mm

Utförsäljning APEX Sänkningssatser

FABRIKAT	MODELL	TYP	ÅR	ART.NR	SÄNK	INFO
NISSAN	Primera	Sedan 2.2 Diesel	P12	02 / -	110-2210	35 mm
NISSAN	Primera	Station 1.6, 1.8 & 2.0	W12	02 / -	110-2230	35 mm
NISSAN	Primera	Station 2.2 Diesel	W12	02 / -	110-2240	35 mm
NISSAN	Sunny		N13	89 / 91	110-1000	30 mm
NISSAN	Sunny		N14	91 / 95	110-1010	35 mm
NISSAN	Tiida	1.6 - 1.8	C11	06 / -	110-8200	30 mm
OPEL	Agila	excl. diesel	H00	08.00 / -	60-14000	35 mm
OPEL	Ascona	B L, L - SR, SR, Berlina	B	75 / 81	60-1000	40 mm
OPEL	Ascona	B L, L - SR, SR, Berlina	B	75 / 81	60-4000	60 mm 1)
OPEL	Ascona	C C & CC	C	81 / 88	60-7000	30 mm
OPEL	Ascona	C C & CC cyl	C	81 / 88	60-7000cyl	30 mm
OPEL	Astra	F /F-CC/ Cabrio 1.4 - 2.0 8V	F	91 / 98	60-11100	40 mm
OPEL	Astra	F /F-CC 2.0, excl. Cabrio	F	91 / 98	60-11200	40 mm
OPEL	Astra	F Caravan 1.6 - 1.8	F	91 / 98	60-11300	40 mm 2)
OPEL	Astra	F Caravan 2.0, D, TD	F	91 / 98	60-11310	40 mm 2)
OPEL	Astra	G Lim. & hatchback 1.4 -1.6	T98	98 / 04	60-11500	35 mm
OPEL	Astra	G Lim. & hatchback all excl. 1.4 - 1.6	T98	98 / 04	60-11510	35 mm less lowering on OPC
OPEL	Astra	G Coupé all	T98	00 / 04	60-11510	40 mm
OPEL	Astra	G Caravan 1.6 all	T98 kombi	98 / 04	60-11600	35 mm
OPEL	Astra	G Caravan all excl. 1.6	T98 kombi	98 / 04	60-11610	35 mm less lowering on OPC
OPEL	Astra	H GTC/OPC 1.4-1.8 & 1.3D	A-H/C	03.04 / -	60-6250	20 mm
OPEL	Astra	H GTC/OPC 2.0 turbo & 1.7-1.9D	A-H/C	03.04 / -	60-6255	30 mm
OPEL	Calibra	all, excl. V6 & Turbo 4WD	A	90 / -	60-8010	30 mm
OPEL	Calibra	4x4	A	92 / -	60-8030	30 mm
OPEL	Corsa	A	A	83 / 93	60-9000	40 mm
OPEL	Corsa	A	A	83 / 93	60-9010	60 mm 1)
OPEL	Corsa	B all	B	93 / 00	60-9020	40 mm
OPEL	Corsa	B & Tigra A	B, S93	93 / 00	60-9030	60/40 mm 1)
OPEL	Corsa	C, all	C	00 / -	60-9050	40 mm less lowering on OPC
OPEL	Kadett	C 1.6 - 2.0 excl. City, Caravan, Aero	C	74 / 79	60-5010	60 mm 1)
OPEL	Kadett	C 1.6 - 2.0 excl. City, Caravan, Aero	C	74 / 79	60-5000/2	40 mm 1)
OPEL	Kadett	E-CC LS, GL, GLS, GT	E	84 / 91	60-2000	30 mm
OPEL	Kadett	E,E-CCE LS, GSI, Sprint af 85 kw	E	84 / 91	60-2010	30 mm
OPEL	Kadett	E Caravan, all	E kombi	84 / 91	60-2030	55 mm
OPEL	Manta	B	B	75 / 81	60-1000	40 mm
OPEL	Manta	B	B	75 / 81	60-4000	60 mm
OPEL	Omega	B 4 cyl. lim. excl. 2.2 D	V94	04.94 / 05.00	60-3000	40 mm Max. front axle load 1000kg.
OPEL	Omega	B 6 cyl. lim	V94	04.94 / 05.00	60-3010	40 mm Max. front axle load 1080kg.
OPEL	Omega	B Caravan excl. 2.2 D	V94 kombi	04.94 / 05.00	60-3000/CAR	40 mm Max. front axle load 1000kg.
OPEL	Omega	B 6 cyl. Caravan	V94 kombi	04.94 / 05.00	60-3010/CAR	40 mm Max. front axle load 1080kg.
OPEL	Tigra	A	S93 coupe	94 / 00	60-12000	30 mm
OPEL	Tigra	A	S93	94 / 00	60-9031	60/40 mm 1)
OPEL	Tigra	TT	B	04 / -	60-9070	40 mm
OPEL	Vectra	A excl. 2000 & V6	A, A-CC	88 / 95	60-8000	35 mm
OPEL	Vectra	A 2000 excl. 4 x 4	A	89 / 95	60-8020	30 mm
OPEL	Vectra	B Sedan & HB 1.6, 1.8 excl. 1.8 Auto	J96	95 / -	60-8050	35 mm
OPEL	Vectra	B Sedan & HB 1.8 Auto,DTi 2.2	J96	95 / -	60-8051	35 mm

Utförsäljning APEX Sänkningssatser

FABRIKAT	MODELL	TYP	ÅR	ART.NR	SÄNK	INFO
OPEL	Vectra	B Caravan 1.6, 1.8 excl. 1.8 Auto	J96 kombi	95 / -	60-8050/2CAR	35 mm
OPEL	Vectra	B Caravan 1.8 Auto, DTi 2.2	J96 kombi	95 / -	60-8051/2CAR	35 mm
OPEL	Vectra	C sedan		02 / -	60-8200	35 mm
OPEL	Vectra	C sedan		02 / -	60-8210	35 mm
OPEL	Zafira	A all excl. 2.2i auto, 2.0DTi	T98 monocab	01.99 / 05	60-11700	30 mm
OPEL	Zafira	B 1.6, 1.8	A-H monocab	05 / -	60-8280	35mm
OPEL	Zafira	B 2.0T, 2.2, 1.9CDTi	A-H monocab	05 / -	60-8290	35mm
PEUGEOT	106			92 / -	70-4000	30 mm
PEUGEOT	106	Rallye 1.3		92 / 3.96	70-4010	30 mm
PEUGEOT	106	Rallye 1.6		04.96 / -	70-4000	30 mm
PEUGEOT	107		P	05 / -	70-4200	35 mm
PEUGEOT	205	all, excl. GTi , CTi and Diesel	741 A/G	83 / 10.87	70-1000	30 mm
PEUGEOT	205	GTi, CTi and Rallye	20 C/D	02.84 / 10.98	70-1010	30 mm
PEUGEOT	205		20 C/D	83 / 09.98	70-1020	50 mm
PEUGEOT	206	Hatchback all, excl. HDi-2.0	2C..2A	06.99 / -	70-1050	35 mm
PEUGEOT	206	Hatchback HDi-2.0	2C..2A	06.99 / -	70-1070	35 mm
PEUGEOT	206	SW all, excl. HDi-2.0	2C..2A	06.99 / -	70-1050	35 mm
PEUGEOT	206	SW HDi-2.0	2C..2A	06.99 / -	70-1070	35 mm
PEUGEOT	206	Hatchback and SW all, excl. 2.0-HDi	2C..2A	06.99 / -	70-1060	60 mm
PEUGEOT	206	Hatchback and SW 2.0-HDi	2C..2A	06.99 / -	70-1050	60 mm
PEUGEOT	206	CC-1.6	2C..2A	06.99 / -	70-1050	35 mm
PEUGEOT	206	CC-2.0 and HDi-2.0	2C..2A	06.99 / -	70-1070	35 mm
PEUGEOT	207	Hatchback 1.4 16V	W*****	04.06 / -	70-1200	35 mm
PEUGEOT	207	Hatchback 1.6 16V & 1.6 HDI	W*****	04.06 / -	70-1210	35 mm
PEUGEOT	306	all, excl. Xsi, Gti, Diesel	7,7A,7D	93 / 03	70-6000	30 mm
PEUGEOT	306	t)D, Xsi, Gti, excl. 6-sp gearbox	7A	93 / 03	70-6010	30 mm
PEUGEOT	307	Hatchback 1.6		03.01 / -	70-6200	35 mm
PEUGEOT	307	Hatchback 1.6		03.01 / -	70-6260	60/40 mm
PEUGEOT	307	Hatchback 2.0-16V & 2.0 Hdi		03.01 / -	70-6210	35 mm
PEUGEOT	307	Hatchback 2.0-16V & 2.0 Hdi		03.01 / -	70-6265	60/40 mm
PEUGEOT	307	CC 1.6		03 / -	70-6230	35 mm
PEUGEOT	307	CC 2.0-16V		08.05 / -	70-6240	35 mm
PEUGEOT	307	SW and Break 1.6		03.01 / -	70-6230	35 mm
PEUGEOT	307	SW and Break 1.6		03.01 / -	70-6270	60/40 mm
PEUGEOT	307	SW and Break 2.0-16V & 2.0 Hdi		03.01 / -	70-6240	35 mm
PEUGEOT	307	SW and Break 2.0-16V & 2.0 Hdi		03-01 / -	70-6275	60/40 mm
PEUGEOT	309		3A	02.86 / 02.93	70-5000	35 mm
PEUGEOT	309	GTi	3C	01.87 / 02.93	70-5010	35 mm
PEUGEOT	405		15B, 15E	09.87 / 09.95	70-3000	30 mm
PEUGEOT	405	Mi-16, D, TD	15B, 15E	09.87 / 09.95	70-3020	30 mm
PEUGEOT	406	Sedan 1.6-1.8		96 / -	70-7000	35 mm
PEUGEOT	406	Sedan 2,0, 2,2 TD, HDi		96 / -	70-7010	35 mm
PEUGEOT	406	Break all	F	97 / -	70-7020	35 mm
PEUGEOT	406	Coupe 4-cyl	8RFV	97 / -	70-7030	30 mm
PEUGEOT	406	Coupe V6	8XFZ	97 / -	70-7031	30 mm
PORSCHE	911	Carrera, Carrera 4, 4S, Targa, Cabrio	993	95 / -	330-2000	35 mm
PORSCHE	Carrera	4/2	964	90 / -	330-3000	40 mm

Utförsäljning APEX Sänkningssatser

FABRIKAT	MODELL	TYP	ÅR	ART.NR	SÄNK	INFO	
PROTON	Coupe		03.97 / -	280-2020	30 mm		
PROTON	Iswara	1.3, 1.5	94 / -	280-1000	30 mm		
PROTON	Perdana		96 / -	260-1020	30 mm		
PROTON	Wira	Setria 1,6	94 / -	280-2000	30 mm		
PROTON	Wira	1,3 - 1,5	94 / -	280-2010	30 mm		
RENAULT	19	all, up to 85KW	B,C & D53	89 / 96	150-2000	30 mm	
RENAULT	19	from 85KW, ex 16V	B,C & D53	89 / 96	150-2010	30 mm	
RENAULT	19	16V	X, B,C & D53	89 / 96	150-2020	25 mm	
RENAULT	Clio	I all, excl. 16V	B & C 57	01.91 / 09.98	150-4000	40 mm	
RENAULT	Clio	I 16V, Williams	B & C 57	01.91 / 09.98	150-4010	30 mm	
RENAULT	Clio	I 16V, Williams	B & C 57	01.91 / 09.98	150-4020	50 mm	1)
RENAULT	Clio	C 2.0 Sport	BR0/CR0	06 / -	150-4250	30 mm	
RENAULT	Clio	II all, excl. 2.0 Sport and V6	BB0-2,CB0-2 SB0	09.98 / 05	150-4050	40 mm	Coil spring rear axle
RENAULT	Clio	II 2.0 Sport	BB0-2,CB0-2 SB0	99 / 05	150-4051	40 mm	
RENAULT	Clio	II 1.2, 1.4 and 1.6	BB0-2,CB0-2 SB0	09.98 / 05	150-4060	60 / 40 mm	
RENAULT	Clio	C 1.2	BR0/CR0	05 / -	150-4200	35 mm	
RENAULT	Clio	C 1.4, 1.6, 1.5DCi	BR0/CR0	05 / -	150-4210	35 mm	
RENAULT	Laguna	I 1,8 - 2,0	B56 & K56	93 / 01	150-6000	35 mm	
RENAULT	Laguna	I 3,0 - 2,2 Diesel	B56 & K56	93 / 01	150-6010	35 mm	
RENAULT	Laguna	II Sedan 1,6 - 2,0 and 1.9dCi	BGO	01 / -	150-6200	35 mm	Less lowering on 2005/- models
RENAULT	Laguna	II Grand Tour 1.6-2.0 & 1.9dCi	KGO	01 / -	150-6230	35 mm	Less lowering on 2005/- models
RENAULT	Megane	all, incl. Scenic & Cabrio (see note)	B,D,L,E,K & JA	95 / 03	150-7000	30 mm	Max. front axle load - / 880 kg.
RENAULT	Megane	all, incl. Scenic & Cabrio (see note)	B,D,L,E,K & JA	95 / 03	150-7020	30 mm	Max. front axle load 880 / - kg.
RENAULT	Megane	2.0-16V	BA, DA & EA	95 / 03	150-7010	30 mm	
RENAULT	Megane	Hatchb. 1.4, 1.6 (excl auto), 1.5DCi	CMO & BMO	11.02 / -	150-7200	30 mm	
RENAULT	Megane	Hatchb. 1.6-Auto, 2.0 & 1.9DCi	CMO & BMO	11.02 / -	150-7210	30 mm	
RENAULT	Megane	CC	M	11.02 / -	150-7250	30 mm	
RENAULT	R5	GTE/GT Turbo	B & C405S	89 / -	150-1010	35 mm	
RENAULT	R5	GT Turbo, Supercinq	B & C405S	89 / -	150-1020	60 mm	1)
RENAULT	Twingo		C06	92 / -	150-5000	30 mm	
RENAULT	Twingo		C06	92 / -	150-5020	50 mm	
ROVER	214	216-414/416	RF	90 / -	200-1000	30 mm	
ROVER	214I	214SI, 200 Vi - ex.D	RF	96 / 99	200-2000	35 mm	
ROVER	25		RF	99 / -	200-2000	35 mm	
ROVER	400		RT	95 / 99	200-1010	35 mm	
ROVER	45		RT	99 / -	200-1010	35 mm	
ROVER	75	4 cyl	RJ	99 / -	200-3000	35 mm	
ROVER	75	V6 and Diesel	RJ	99 / -	200-3010	35 mm	
ROVER	MG	ZR105 1.4	ZR	03 / -	200-2010	30 mm	
ROVER	MG	ZR120 1.8, 160ZR 1.8 & 2.0 TD	ZR	03 / -	200-2020	30 mm	
SAAB	9000	2.0		2.85-9.97	350-3000	35 mm	
SAAB	9.3	incl.cabrio		98 / -	350-2000	35 mm	
SAAB	9.5			98 / -	350-1000	35 mm	
SEAT	Alhambra		7MS	97 / -	80-8000	25 mm	
SEAT	Altea	Toledo 1.6	5P	2004	80-7230	30 mm	
SEAT	Altea	Toledo 2.0 FSI & TDi all	5P	2004	80-7240	30 mm	
SEAT	Arosa		6H & HS	05.97 / -	130-4000	40 mm	

Utförsäljning APEX Sänkningssatser

FABRIKAT	MODELL	TYP	ÅR	ART.NR	SÄNK	INFO	
SEAT	Cordoba	see note	6K/C	93 / -	130-2030	30 mm	Max loads fr = 850 kg, rear= 750
SEAT	Cordoba	Vario (see note)	6K/C	97 / -	130-2032	30 mm	Max loads fr = 850 kg
SEAT	Cordoba	1.4i all, 1.9 SDi & 1.4TDi	6L	02 / -	80-9000	35 mm	
SEAT	Cordoba	1.9 TDi	6L	02 / -	80-9010	35 mm	
SEAT	Ibiza	1.0, 1.3, 1.4	6K	93 / 02	130-2020	30 mm	
SEAT	Ibiza	1.6, 1.8, 2.0, D, TD	6K	93 / 02	130-2000	30 mm	
SEAT	Ibiza	Cupra	6K	97 / 02	130-2010	30 mm	
SEAT	Ibiza	1.2i	6L	02 / -	80-9020	35 mm	
SEAT	Ibiza	1.4i all, 1.9 SDi & 1.4TDi	6L	02 / -	80-9000	35 mm	
SEAT	Ibiza	1.9 TDi	6L	02 / -	80-9010	35 mm	
SEAT	Ibiza	FR, Cupra & TDi	6L	04 / -	80-9050	25 mm	
SEAT	Leon	1.4 - 1.8 and D	1M	99 / -	130-3050	30 mm	
SEAT	Leon	1.8T & TDi	1M	99 / -	130-3051	30 mm	
SEAT	Leon	1.6	1P	08.05 / -	130-3200	35 mm	
SEAT	Leon	2.0 FSi & TDI all	1P	08.05 / -	130-3210	35 mm	
SEAT	Toledo	all	1L	91 / 98	130-3000	30 mm	
SEAT	Toledo	excl. V5	1M	98 / 04	130-3020	35 mm	
SEAT	Toledo	Cupra 4WD & Leon 4WD	1M	99 / 04	130-3040	30 mm	
SKODA	Fabia	1.0 all, excl. Station Wagon	6Y	00 / -	80-9020	35 mm	
SKODA	Fabia	1.4 all, excl. Station Wagon	6Y	00 / -	80-9000	35 mm	
SKODA	Fabia	1.9, 2.0 & (T)D all, excl. Station Wagon	6Y	00 / -	80-9010	35 mm	Less lowering on RS models
SKODA	Octavia	sedan 4x4	1U	00 / -	80-7080	45 mm	
SKODA	Octavia	sedan	1U	09.97 / -	80-7000	45 mm	
SKODA	Octavia	estate	1U	10.98 / -	80-7040	35 mm	
SKODA	Octavia	estate 4x4	1U	00 / -	80-7090	35 mm	
SKODA	Octavia	sedan 2wd, 1.4 , 1.6	1Z	03.04 / -	80-7230	35 mm	
SKODA	Octavia	sedan 2wd all, excl. 1.4 , 1.6	1Z	03.04 / -	80-7240	35 mm	
SKODA	Octavia	estate 2wd, 1.4 , 1.6	1Z	03.04 / -	80-7230	35 mm	
SKODA	Octavia	estate 2wd all, excl. 1.4 , 1.6	1Z	03.04 / -	80-7240	35 mm	
SMART	Smart	only for cars with coil springs front axle	MC01	01.01 / -	55-1000	20 mm	
SMART	Smart	Roadster / Coupe	452	03 / -	55-2000	20 mm	
SUBARU	Impreza	2.0 GT Turbo	GC, GF, GFC	08.92 / 01	320-1000	35 mm	
SUBARU	Impreza	WRX, excl. STi	GD	01 / 03	320-1050	40 mm	
SUBARU	Impreza	WRX, sedan & wagon, excl. STi	GD	facelift 03 / -	320-1200	30 mm	not for 6-sp gearbox
SUZUKI	Baleno	2 door, excl.4WD	EG	95 / -	140-4000	35 mm	
SUZUKI	Baleno	4 door and estate, excl.4WD	EG	95 / -	140-4010	35 mm	
SUZUKI	Forenza			03 / -	290-6000	35 mm	
SUZUKI	Ignis	all 3d, excl. 1.5 Sport and 4WD	RG	02 / -	140-5000	35 mm	
SUZUKI	Ignis	Sport , excl. 4WD	RG	03 / -	140-5040	35 mm	
SUZUKI	Swift	GL, GLX, GXi, GTi	AA33 / 43 / 53	- / 89	140-1000	35 mm	
SUZUKI	Swift		EA	89 / 96	140-2000	35 mm	
SUZUKI	Swift	USA		02 / -	290-5000	30 mm	
SUZUKI	Swift	all 2wd, excl. Diesel	MZ	05 / -	140-2200	30 mm	
SUZUKI	Swift	all 2wd, excl. Diesel, Xtra Lo	MZ	05 / -	140-2250	45 mm	
SUZUKI	Swift	Diesel 2wd	MZ	05 / -	140-2210	30 mm	
SUZUKI	Vitara		ET/TA	88 / -	140-3000	40 mm	"On road" use only!
SUZUKI	Wagon	R+ excl. diesel	MM	06.'00 / -	140-14000	35 mm	

Utförsäljning APEX Sänkningssatser

FABRIKAT	MODELL	TYP	ÅR	ART.NR	SÄNK	INFO
TOYOTA	Avensis	sedan all excl. Diesel and Verso	T22	98 / 03.03	170-3010	40 mm
TOYOTA	Avensis	Station Wagon all excl. Dsl. & Verso	T22	98 / 03.03	170-3020	40 mm
TOYOTA	Avensis	all excl. Station Wagon	T25	04.03 / -	170-3200	35 mm
TOYOTA	Aygo		AB1	05 / -	70-4200	35 mm
TOYOTA	Camry	6-cyl	V10	91 / 97	170-7010	35 mm
TOYOTA	Camry	2.2 4-cyl	V20	97 / -	170-7050	30 mm
TOYOTA	Camry	Saloon	CV3	02 / -	170-7200	30 mm
TOYOTA	Carina	E	T19	92 / -	170-3000	30 mm
TOYOTA	Celica		T16	81 / 89	170-1010	40 mm
TOYOTA	Celica		T18, T18C, T20	90 / 99	170-1000	35 mm
TOYOTA	Celica		ZZT230/231	10.99 / -	170-1040	35 mm
TOYOTA	Corolla	RWD	AE86	85 / 87	170-2010	30 mm
TOYOTA	Corolla	excl. 4WD	E9	05.87 / 04.92	170-6000	30 mm
TOYOTA	Corolla		E10	92 / 97	170-2000	30 mm
TOYOTA	Corolla		E11	97 / 01	170-2020	35 mm
TOYOTA	Corolla	Stationwagon	E11	97 / 01	170-2025	35 mm
TOYOTA	Corolla	1.4 - 1.8 Hatchb. & sedan	E12U/J	01 / -	170-2200	40 mm
TOYOTA	Corolla	2.0D Hatchb. & sedan	E12U/J	01 / -	170-2220	40 mm
TOYOTA	Corolla	1.4 - 1.8 Estate	E12T	01 / -	170-2210	40/30 mm
TOYOTA	Corolla	2.0D Estate	E12T	01 / -	170-2230	40/30 mm
TOYOTA	Corolla	Altis (Asian version		00 / -	170-2070	35 mm
TOYOTA	Corolla	1.6 - 1.8 Verso	E12J1	02 / -	170-2215	40/30 mm
TOYOTA	Corolla	2.0 - 2.2D Verso	E12J1	02 / -	170-2235	40/30 mm
TOYOTA	Fortuner	2.7 and 3.0 TD	KUN51R	05 / -	170-1500	30 mm
TOYOTA	MR2			85 / 90	170-8010	30 mm
TOYOTA	MR2			90 / 99	170-8000	30 mm
TOYOTA	MR2		W3	00 / 02	170-8200	30 mm
TOYOTA	Paseo			96 / -	170-5010	35 mm
TOYOTA	Starlet		P7	86 / 89	170-4000	35 mm
TOYOTA	Starlet		P8	89 / 96	170-5000	35 mm
TOYOTA	Starlet		P9	96 / -	170-5010	35 mm
TOYOTA	Supra	Turbo	A70. A71	86 / 93	170-9010	30 mm
TOYOTA	Supra	Twin Turbo	A80	93 / -	170-9000	30 mm
TOYOTA	Vios	Soluna Vios		10.02 / -	170-5056	45 mm
TOYOTA	Wish	all 2wd		03 / 05	170-3250	35 mm
TOYOTA	Yaris	Vitz / Echo all excl. Verso	CP10	04.99 / -	170-5055	35 mm
TOYOTA	Yaris	Verso		04.99 / -	170-5050	35 mm
TOYOTA	Yaris	1.3, 1.5 & 1.4D4-D	P90	12.05 / -	170-5200	30 mm
VAUXHALL	Astra	Mk3 1.4 - 2.0 incl 1.6 16V	F	91 / 98	60-11100	40 mm
VAUXHALL	Astra	Mk3 1.8-16V, 2.0-16V, excl. Cabrio	F	91 / 98	60-11200	40 mm
VAUXHALL	Astra	Mk4 saloon & hatchback 1.4 -1.6	T98	98 / 04	60-11500	35 mm
VAUXHALL	Astra	Mk4 saloon & hatchback all excl. 1.4 - 1.6	T98	98 / 04	60-11510	35 mm
VAUXHALL	Astra	Mk4 Coupe all	T98	00 / 04	60-11510	40 mm
VAUXHALL	Astra	Mk5 GTC/OPC 1.4-1.8 & 1.3D	A-H/C	03.04 / -	60-6250	20 mm
VAUXHALL	Astra	Mk5 GTC/OPC 2.0 turbo & 1.7-1.9D	A-H/C	03.04 / -	60-6255	30 mm
VAUXHALL	Calibra	all, excl. V6 & Turbo 4WD	A	90 / -	60-8010	30 mm
VAUXHALL	Corsa	all	B	93 / 00	60-9020	40 mm

not for rear shock 2B760 !

170-5055 is for 30 mm lowering

less lowering on OPC

Utförsäljning APEx Sänkningssatser

FABRIKAT	MODELL	TYP	ÅR	ART.NR	SÄNK	INFO	
VAUXHALL	Corsa	C, all	C	00 / -	60-9050	40 mm	less lowering on OPC
VAUXHALL	Tigra		S93 coupe	94 / 00	60-12000	30 mm	
VAUXHALL	Tigra	TT	B	04 / -	60-9070	40 mm	
VAUXHALL	Vectra	B saloon & HB 1.6, 1.8 excl. 1.8 Auto	J96	95 / -	60-8050	35 mm	
VAUXHALL	Vectra	B saloon & HB 1.8 Auto,DTi 2.2	J96	95 / -	60-8051	35 mm	
VOLKSWAGEN	Beetle	1302, 1303	1300	74 / -	80-5010	40 mm	
VOLKSWAGEN	Bora		1J	97 / -	80-7070	50 mm	7)
VOLKSWAGEN	Bora	2-wd, 4-cyl. models excl. (T)Diesel	1J	98 / -	80-7050	40 mm	Max. front axle load -/920 kg.
VOLKSWAGEN	Bora	2-wd, VR5 and (T)Diesel	1J	98 / -	80-7051	40 mm	7) Max. front axle load 921/- kg.
VOLKSWAGEN	Bora	4-MOTION	1J	99 / -	80-7080	35 mm	7)
VOLKSWAGEN	Bora	Variant 2-wd, 4-cyl , excl. (T)Diesel	1J	99 / -	80-7060	40 mm	7) Max. front axle load -/910 kg.
VOLKSWAGEN	Bora	Variant 2-wd, VR5 and (T)Diesel	1J	99 / -	80-7061	40 mm	7) Max. front axle load 911/- kg.
VOLKSWAGEN	Bora	Variant 4-Motion	1J	99 / -	80-7090	30 mm	7)
VOLKSWAGEN	Corrado	all, excl. VR6	53i	88 / 95	80-2070	35 mm	
VOLKSWAGEN	Corrado	VR6	53i	91 / 95	80-6010	35 mm	
VOLKSWAGEN	Golf	I, incl. Cabrio	17CK,155	74 / -	80-1000	30 mm	5)
VOLKSWAGEN	Golf	I, incl. Cabrio	17CK,155	74 / -	80-1010	60 mm	1) 5)
VOLKSWAGEN	Golf	II, excl. (T)D, 16V, G60, Syncro	19E	83 / 91	80-2000	30 mm	5)
VOLKSWAGEN	Golf	II 16V, (T)D	19E	83 / 91	80-2010	40 mm	
VOLKSWAGEN	Golf	II excl. G60, Syncro	19E	83 / 91	80-2030	60 mm	1)
VOLKSWAGEN	Golf	III incl. Cabrio	1HX0,1EX0	91 / 08.94	80-6000	40 mm	large top Ø !
VOLKSWAGEN	Golf	III 16V, GTi, VR6, TDi	1HXO	91 / 08.94	80-6010	30 mm	large top Ø !
VOLKSWAGEN	Golf	III	1HXO	91 / 08.94	80-6020	60 mm	1) large top Ø !
VOLKSWAGEN	Golf	III; Variant excl. TDi, SDi	1HXO	93 / 08.94	60-6030	30 mm	1) large top Ø !
VOLKSWAGEN	Golf	III	1HXO	09.94 / 08.97	80-6000/1	30 mm	small top Ø !
VOLKSWAGEN	Golf	III 16V, GTi, VR6, TDi	1HXO	09.94 / 08.97	80-6010/1	30 mm	small top Ø !
VOLKSWAGEN	Golf	III	1HXO	09.94 / 08.97	80-6020/1	60 mm	1) small top Ø !
VOLKSWAGEN	Golf	III Variant , excl. TDi, SDi	1HXO	09.94 / 08.97	80-6030/1	30 mm	small top Ø !
VOLKSWAGEN	Golf	III Variant TDi, SDi	1HXO	09.94 / 08.97	80-6050/1	30 mm	small top Ø !
VOLKSWAGEN	Golf	III 60/40	1HXO	91 / 08.94	80-6040	60/40 mm	1) large top Ø !
VOLKSWAGEN	Golf	III 60/40	1HXO	09.94 / 08.97	80-6040/1	60/40 mm	1) small top Ø !
VOLKSWAGEN	Golf	IV 2-wd, 4-cyl , excl. (T)Diesel	1J	09.97 / 03	80-7000	45 mm	7)
VOLKSWAGEN	Golf	IV 2-wd, VR5 and (T)Diesel	1J	09.97 / 03	80-7010	45 mm	7)
VOLKSWAGEN	Golf	IV	1J	97 / 03	80-7070	50 mm	7)
VOLKSWAGEN	Golf	IV Variant 2-wd 4-cyl , excl. (T)Diesel	1J	99 / -	80-7030	45 mm	7)
VOLKSWAGEN	Golf	IV Variant 2-wd VR5 and (T)Diesel	1J	99 / -	80-7040	45 mm	7)
VOLKSWAGEN	Golf	IV 4-MOTION	1J	99 / -	80-7080	35 mm	7)
VOLKSWAGEN	Golf	IV Variant 4-MOTION	1J	99 / -	80-7090	30 mm	7)
VOLKSWAGEN	Golf	V (& Plus) 2-wd, 4-cyl , excl. TDi & GTI	1K	11.03 / -	80-7200	35 mm	
VOLKSWAGEN	Golf	V (& Plus) 2-wd, TDi (4-cyl) all	1K	11.03 / -	80-7210	35 mm	
VOLKSWAGEN	Golf	V GTi	1K	04 / -	80-7250	35 mm	
VOLKSWAGEN	Jetta	I	17CK,155	74 / -	80-1000	30 mm	5)
VOLKSWAGEN	Jetta	I	17CK,155	74 / -	80-1010	60 mm	1) 5)
VOLKSWAGEN	Jetta	II, excl. (T)D, 16V	19E	83 / 91	80-2000/1	30 mm	5)
VOLKSWAGEN	Jetta	II , excl. (T)D, 16V	19E	83 / 91	80-2030	60 mm	1)
VOLKSWAGEN	Jetta	1.6	1KM	08.05 / -	80-7300	40-30mm	
VOLKSWAGEN	Jetta	2.0 & TDi	1KM	08.05 / -	80-7310	40-30mm	

Utförsäljning APEX Sänkningsseter

FABRIKAT	MODELL	TYP	ÅR	ART.NR	SÄNK	INFO
VOLKSWAGEN	Lupo	all, excl 3L	6X	98 / -	80-3060	40 mm
VOLKSWAGEN	New	Beetle 2-wd	1C/9C	09.97 / -	80-7020	45 mm
VOLKSWAGEN	New	Beetle Cabrio		03 / -	80-7025	45 mm
VOLKSWAGEN	New	Beetle RSi	9CR	01 / -	10-3010	25 mm
VOLKSWAGEN	Passat	Sedan chassiso. -> / 31PO26435	35i	88 / 93	80-4000/1	40 mm
VOLKSWAGEN	Passat	Sedan chassiso. 31PO26436	35i	93 / 96	80-4000/2	40 mm
VOLKSWAGEN	Passat	Variant chassiso. -> / 31PO26435	35i	88 / 93	80-4010/1	40 mm
VOLKSWAGEN	Passat	Variant chassiso. 31PO26436	35i	93 / 96	80-4010/2	40 mm
VOLKSWAGEN	Passat	Sedan 4 cyl. excl. TDi	3B	97 / 05	80-4050	40 mm
VOLKSWAGEN	Passat	Sedan 5 cyl. and 4 cyl. TDi	3B	97 / 05	80-4051	40 mm
VOLKSWAGEN	Passat	Sedan all 6 cyl. models	3B	97 / 05	80-4051/2	40 mm
VOLKSWAGEN	Passat	Variant 4 cyl. excl. TDi	3B	97 / 05	80-4052	35 mm
VOLKSWAGEN	Passat	Variant 5 cyl. and 4 cyl. TDi	3B	97 / 05	80-4052/1	35 mm
VOLKSWAGEN	Passat	Variant all 6 cyl. models	3B	97 / 05	80-4052/2	35 mm
VOLKSWAGEN	Passat	Syncro all 4 cyl. excl. TDi	3B	97 / 05	80-4053	35 mm
VOLKSWAGEN	Passat	Syncro 5 cyl. and 4 cyl. TDi	3B	97 / 05	80-4053/1	35 mm
VOLKSWAGEN	Passat	Syncro all 6 cyl. models	3B	97 / 05	80-4053/2	35 mm
VOLKSWAGEN	Polo	G40	86C	90 / 94	80-3011	30 mm
VOLKSWAGEN	Polo		86	75 / 81	80-3000	35 mm 6)
VOLKSWAGEN	Polo		86	75 / 81	80-3020	60 mm 1) 6)
VOLKSWAGEN	Polo		86C	81 / 94	80-3010	35 mm
VOLKSWAGEN	Polo	IV excl. Variant	6N	94 / 10.99	80-3050	35 mm
VOLKSWAGEN	Polo	IV Variant	6N	97 / 10.99	80-3055	35 mm
VOLKSWAGEN	Polo	IV excl. Variant	6N	00 / -	80-3073	60 mm 1)
VOLKSWAGEN	Polo	IV excl. Variant	6N	94 / 10.99	80-3051	60 mm 1)
VOLKSWAGEN	Polo	IV all excl. 1.0, Gti and Variant	6N	11.99 / 02	80-3070	35 mm front top mount has 3 bolts
VOLKSWAGEN	Polo	IV 1.0	6N	11.99 / 02	80-3071	35 mm front top mount has 3 bolts
VOLKSWAGEN	Polo	IV Gti	6N	11.99 / 02	80-3072	30 mm front top mount has 3 bolts
VOLKSWAGEN	Polo	IV Variant	6N	11.99 / 02	80-3075	30 mm front top mount has 3 bolts
VOLKSWAGEN	Polo	V 1.2i & 1.4i	9N	02 / -	80-9020	35 mm
VOLKSWAGEN	Polo	V 1.9 SDi & 1.4TDi	9N	02 / -	80-9000	35 mm
VOLKSWAGEN	Polo	V 1.9 TDi	9N	02 / -	80-9010	35 mm
VOLKSWAGEN	Sharan		7M	02.95 / -	80-8000	25 mm
VOLKSWAGEN	Touran	1.6	1T	'03 / -	80-7235	30 mm
VOLKSWAGEN	Touran	all excl. 1.6	1T	'03 / -	80-7245	30 mm
VOLKSWAGEN	Transporter	T3, excl. Syncro	T3	79 / 90	80-0500	35 mm
VOLKSWAGEN	Transporter	T4, excl. Syncro	T4	9.90 / -	80-0700	50 mm
VOLKSWAGEN	Transporter	T5 2.0	T5	03 / -	80-0800	35 mm
VOLKSWAGEN	Transporter	T5 1.9 TDi	T5	03 / -	80-0810	35 mm
VOLKSWAGEN	Transporter	T5 all V6, excl 4-Motion	T5	03 / -	80-0820	35 mm
VOLKSWAGEN	Transporter	T5 4-Motion	T5	03 / -	80-0830	35 mm
VOLKSWAGEN	Vento		1HX0	91 / 08.94	80-6000	40 mm large top Ø !
VOLKSWAGEN	Vento		1HX0	91 / 08.94	80-6020	60 mm 1) large top Ø !
VOLKSWAGEN	Vento		1HX0	09.94 / 97	80-6000/1	40 mm small top Ø !
VOLKSWAGEN	Vento		1HX0	09.94 / 97	80-6020/1	60 mm 1) small top Ø !
VOLVO	200	200-series all, excl. Diesel & 6-cyl models		79 / 93	250-3000	30 mm 2)
VOLVO	740	760 - 940 excl. Diesel		84 / -	250-1000	40 mm 2)

Utförsäljning APEX Sänkningssatser

FABRIKAT	MODELL	TYP	ÅR	ART.NR	SÄNK	INFO
VOLVO	850	Sedan, S70	LS, LW, L & N	92 / -	250-2000	40 mm 2)
VOLVO	850	Estate incl. Turbo, T-5, T5-R, TDI, V70		92 / 97	250-2010	40 mm 2)
VOLVO	C70	Coupé all models		98 / -	250-2020	30 mm
VOLVO	S40	V40	V	96 / 6.99	250-4000	35 mm 2)
VOLVO	S40	V40 model 2000 only		7.99 / 7.00	250-4010	35 mm 2)
VOLVO	S40	V40 model 2001 only		8.00 / 04	250-4020	35 mm 2) Small front upper spring seat
VOLVO	S40	1.6, 1.8, 1.6TD	M	04.04 / -	250-4200	35 mm
VOLVO	S40	2.0TD, 2.4, T5	M	04.04 / -	250-4210	35 mm less lowering on T5
VOLVO	S60			00 / -	250-6000	25 mm 2)
VOLVO	S80			98 / -	250-5000	35 mm 2)
VOLVO	V50	1.6, 1.8, 1.6TD	M	04.04 / -	250-4230	35 mm
VOLVO	V50	2.0TD, 2.4, T5	M	04.04 / -	250-4240	35 mm less lowering on T5
VOLVO	V70			00 / -	250-5000	35 mm 2)

INFO

- 1) use with shortened shock absorbers only
- 2) not for cars with self levelling shock absorbers or systems
- 4) MB fits rubber insulator between the springs and the spring seats. The available thickness varies from 8 - 23 mm
- 5) Golf I and Jetta I up to 08.79 must use Golf II front upper spring seat # 171.41.234.1A
- 6) Polo up to 08.79 must use front upper spring seat Polo II # 141.21.13B
- 7) When lowering over 45 mm. the front anti-roll bar may touch the RH drive shaft. The bar can be replaced by APEX #SF 60-45145 (to be ordered separately)
- 14) On RH-drive models, check the routing of the powersteering hoses and make sure that they are not chafing the steering arms.